

Parametri	Unità Conv.	Cane	Gatto	Cavallo
WBC	10 ³ /μL	5.32 – 16.92	3.46 – 17.50	5.00 – 12.00
Neu#	10 ³ /μL	3.05 – 12.10	1.95 – 11.50	2.70 – 7.10
Lym#	10 ³ /μL	0.70 – 4.95	0.73 – 7.40	1.50 – 5.20
Mon#	10 ³ /μL	0.20 – 1.38	0.06 – 0.98	0.18 – 0.80
Eos#	10 ³ /μL	0.04 – 1.28	0.04 – 1.48	0 – 0.92
Bas#	10 ³ /μL	0 – 0.13	0 – 0.25	0 – 0.12
RBC	10 ⁶ /μL	5.20 – 8.69	6.30 – 11.82	6.10 – 11.20
HGB	g/dL	11.5 – 20.1	9.0 – 16.0	10.0 – 17.0
HCT	%	35.0 – 60.0	26.0 – 50.2	28.4 – 47.0
MCV	fL	60.0 – 77.5	34.0 – 55.0	37.0 – 55.0
MCH	pg	20.0 – 27.0	11.0 – 18.0	12.0 – 19.7
MCHC	g/dL	30.0 – 38.0	28.5 – 38.4	31.0 – 38.0
RDW-CV	%	11.3 – 18.9	14.2 – 26.6	18.3 – 25.0
RDW-SD	fL	29.1 – 55.1	22.0 – 39.6	29.0 – 42.0
PLT	10 ³ /μL	140 – 520	140 – 595	90 – 300
MPV	fL	7.6 – 16.1	8.6 – 18.4	5.2 – 9.5
PDW		13.8 – 17.9	12.0 – 17.5	12.0 – 18.5
PCT	%	0.120 – 0.700	0.150 – 0.900	0.054 – 0.200
P-LCC	10 ³ /μL	25 – 180		15 – 90
P-LCR	%	10.0 – 57.0		11.0 – 48.0
IPF	%	0.4 – 17.1	0.7 – 28.0	
RET#	10 ³ /μL	9.0 – 115.0	4.0 – 52.0	
RET%	%	0.16 – 1.95	0.05 – 0.90	
IRF	%	0 – 45.1	0 – 33.0	
LFR	%	56.0 – 100	66.0 – 100	
MFR	%	0 – 26.0	0 – 25.8	
HFR	%	0 – 22.0	0 – 8.5	
RHE	pg	20.0 – 28.3	14.2 – 21.5	

Parametri	Unità Conv.	Ratto	Topo	Coniglio
WBC	10 ³ /μL	1.50 - 13.80	0.60 - 9.50	3.00 - 12.50
Neu#	10 ³ /μL	0.35 - 3.52	0.13 - 2.95	1.02 - 5.95
Lym#	10 ³ /μL	0.70 - 10.95	0.27 - 7.90	1.25 - 6.35
Mon#	10 ³ /μL	0.11 - 1.25	0 - 0.55	0 - 1.85
Eos#	10 ³ /μL	0 - 0.29	0 - 0.36	0 - 0.18
Bas#	10 ³ /μL	0 - 0.18	0 - 0.09	0 - 0.65
RBC	10 ⁶ /μL	6.10 - 10.20	7.20 - 10.80	4.15 - 6.50
HGB	g/dL	12.5 - 17.3	11.0 - 16.8	8.5 - 16.5
HCT	%	38.2 - 54.0	35.0 - 57.2	25.0 - 42.0
MCV	fL	48.1 - 62.9	43.5 - 61.5	60.0 - 80.0
MCH	pg	16.8 - 21.2	13.5 - 18.0	17.0 - 24.0
MCHC	g/dL	29.0 - 34.5	27.0 - 33.0	27.0 - 34.0
RDW-CV	%	11.5 - 15.6	12.5 - 19.0	12.5 - 26.0
RDW-SD	fL	22.5 - 35.6	23.2 - 38.2	33.0 - 69.0
PLT	10 ³ /μL	800 - 1650	610 - 1620	200 - 800
MPV	fL	5.2 - 7.8	3.8 - 6.7	4.3 - 7.8
PDW		14.2 - 17.2	14.0 - 17.5	14.5 - 18.5
PCT	%	0.402 - 1.081	0.215 - 0.880	0.100 - 0.560
P-LCC	10 ³ /μL	205 - 596	152 - 630	40 - 350
P-LCR	%	19.0 - 46.0	19.0 - 55.0	15.0 - 58.0
IPF	%	0.5 - 10.5	0.3 - 10.2	0.6 - 10.1
RET#	10 ³ /μL	83.0 - 365.0	94.0 - 625.0	40.0 - 550.0
RET%	%	1.00 - 4.30	1.00 - 7.10	0.50 - 12.00
IRF	%	0 - 48.2	0 - 49.8	0 - 70.2
LFR	%	51.2 - 100	50.0 - 100	30.0 - 100
MFR	%	0 - 35.2	0 - 35.5	0 - 42.0
HFR	%	0 - 16.8	0 - 35.0	0 - 40.0
RHE	pg	17.6 - 22.1	14.8 - 19.2	15.0 - 24.0

Parametri	Unità Conv.	Scimmia	Maiale
WBC	10 ³ /μL	7.00 - 23.80	11.20 - 23.10
Neu#	10 ³ /μL	1.90 - 11.10	3.10 - 10.21
Lym#	10 ³ /μL	3.20 - 13.50	4.80 - 17.20
Mon#	10 ³ /μL	0.32 - 1.60	0.40 - 1.48
Eos#	10 ³ /μL	0 - 1.32	0 - 1.75
Bas#	10 ³ /μL	0 - 0.18	0 - 0.30
RBC	10 ⁶ /μL	4.50 - 6.50	5.50 - 8.40
HGB	g/dL	11.5 - 15.1	10.5 - 15.5
HCT	%	35.0 - 48.0	33.0 - 51.8
MCV	fL	68.0 - 85.0	51.0 - 67.0
MCH	pg	19.0 - 27.0	14.5 - 21.5
MCHC	g/dL	28.0 - 34.0	28.0 - 34.0
RDW-CV	%	11.5 - 16.8	16.0 - 25.0
RDW-SD	fL	33.0 - 48.0	34.0 - 51.0
PLT	10 ³ /μL	200 - 630	240 - 850
MPV	fL	7.2 - 13.8	7.8 - 12.1
PDW		14.0 - 17.5	14.0 - 17.5
PCT	%	0.200 - 0.700	0.210 - 0.800
P-LCC	10 ³ /μL	44 - 220	35 - 240
P-LCR	%	9.0 - 60.0	11.0 - 45.0
IPF	%	0.8 - 16.5	0.7 - 15.0
RET#	10 ³ /μL	35.0 - 150.0	21.2 - 190.5
RET%	%	0.56 - 3.00	0.50 - 2.70
IRF	%	0 - 32.0	0 - 28.6
LFR	%	65.0 - 100	68.0 - 100
MFR	%	0 - 38.0	0 - 28.0
HFR	%	0 - 10.0	0 - 9.0
RHE	pg	21.5 - 28.2	16.5 - 23.2

Parametri	Unità Conv.	Camello	Lama	Alpaca
WBC	10 ³ /μL	6.10 - 21.20	6.10 - 22.60	6.10 - 23.90
Neu#	10 ³ /μL	4.20 - 15.20	3.80 - 18.20	3.50 - 17.50
Lym#	10 ³ /μL	0.85 - 7.21	1.52 - 5.60	1.52 - 6.20
Mon#	10 ³ /μL	0 - 1.48	0 - 1.42	0 - 1.32
Eos#	10 ³ /μL	0 - 1.50	0 - 3.30	0 - 3.30
Bas#	10 ³ /μL	0 - 0.21	0 - 0.23	0 - 0.17
RBC	10 ⁶ /μL	6.70 - 13.50	8.12 - 16.90	8.30 - 18.90
HGB	g/dL	10.0 - 17.5	8.0 - 17.8	9.5 - 17.9
HCT	%	20.0 - 41.0	22.5 - 42.0	22.1 - 42.0
MCV	fL	22.0 - 36.0	20.0 - 29.0	18.5 - 27.0
MCH	pg	10.8 - 19.8	8.5 - 13.2	8.2 - 12.2
MCHC	g/dL	40.0 - 52.0	39.0 - 48.0	39.0 - 48.0
RDW-CV	%	18.0 - 27.0	18.2 - 25.5	18.5 - 33.5
RDW-SD	fL	17.2 - 32.0	15.2 - 25.6	14.8 - 27.6
PLT	10 ³ /μL	130 - 550	200 - 700	140 - 750
MPV	fL	2.6 - 5.2	2.3 - 4.2	2.8 - 4.9
PDW		12.0 - 16.0	11.5 - 15.5	11.5 - 15.5
PCT	%	0.041 - 0.231	0.060 - 0.245	0.050 - 0.273
P-LCC	10 ³ /μL	30 - 260	35 - 350	30 - 350
P-LCR	%	11.0 - 50.0	13.6 - 50.2	14.2 - 58.2
IPF	%	1.0 - 20.0	0.7 - 8.9	0.7 - 20.5
RET#	10 ³ /μL	0 - 22.5	0 - 52.0	0 - 46.0
RET%	%	0 - 0.23	0 - 0.48	0 - 0.30
IRF	%	0 - 20.0	0 - 20.0	0 - 9.0
LFR	%	80.0 - 100	80.0 - 100	90.0 - 100
MFR	%	0 - 20.0	0 - 20.0	0 - 8.0
HFR	%	0 - 5.0	0 - 5.0	0 - 5.0
RHE	pg	12.0 - 18.2	11.0 - 16.2	11.0 - 15.2

Parameter	Unità Conv.	Bovino	Capra	Pecora
WBC	10 ³ /μL	4.10-18.30	5.80-22.52	4.78-15.38
Neu#	10 ³ /μL	0.81-6.50	2.12-10.10	1.20-6.65
Lym#	10 ³ /μL	2.10-11.80	2.50-13.35	2.19-10.10
Mon#	10 ³ /μL	0-1.90	0-1.36	0-1.30
Eos#	10 ³ /μL	0-1.15	0-1.32	0-1.21
Bas#	10 ³ /μL	0-0.29	0-0.35	0-0.11
RBC	10 ⁶ /μL	5.00-9.62	10.00-23.65	7.90-15.3
HGB	g/dL	8.0-13.8	7.6-14.1	8.5-15.3
HCT	%	23.0-42.5	21.0-40.2	27-44.5
MCV	fL	37.0-56.0	13.6-23.0	24.0-38.0
MCH	pg	12.5-18.7	4.8-8.2	8.0-12.8
MCHC	g/dL	31.0-37.0	30.5-37.5	29.0-37.0
RDW-CV	%	17.5-26.5	20.5-35.3	16.2-28.2
RDW-SD	fL	26.0-48.2	11.5-24.5	17.0-31.0
PLT	10 ³ /μL	130-685	/	150-850
MPV	fL	4.8-7.6	/	3.1-6.0
PDW		13.0-17.0	/	12.0-17.5
PCT	%	0.040-0.390	/	0.068-0.436
P-LCC	10 ³ /μL	20-230	/	20-380
P-LCR	%	13.5-46.0	/	13.0-46.0
IPF	%	0.8-14.2	0-11.5	0.7-6.5
RET#	10 ³ /μL	0-9.5	0-13.5	0-10.0
RET%	%	0-0.20	0-0.10	0-0.10
IRF	%	0-12.5	0-13.2	0-13.0
LFR	%	85.0-100	84.5-100	85.0-100
MFR	%	0-12.5	0-13.2	0-11.0
HFR	%	0-3.0	0-3.0	0-5.0
RHE	pg	14.0-21.0	9.6-12.8	11.5-16.5

Parametri	Unità Conv.	Furetto	Panda
WBC	10 ³ /μL	6.12-14.80	5.80-15.00
Neu#	10 ³ /μL	1.30-6.20	3.80-13.10
Lym#	10 ³ /μL	1.60-8.90	0.80-3.60
Mon#	10 ³ /μL	0-1.12	0.22-1.28
Eos#	10 ³ /μL	0-0.88	0-1.40
Bas#	10 ³ /μL	0-0.20	0-0.30
RBC	10 ⁶ /μL	6.60-12.18	5.00-8.00
HGB	g/dL	12.5-18.2	10.0-15.5
HCT	%	37.5-59.0	30.0-45.0
MCV	fL	46.6-58.2	50.0-62.0
MCH	pg	14.5-19.1	18.0-23.0
MCHC	g/dL	30.0-37.0	33.0-38.0
RDW-CV	%	13.1-20.3	14.0-19.0
RDW-SD	fL	23.5-34.2	26.0-39.0
PLT	10 ³ /μL	238-950	400-1150
MPV	fL	5.8-11.6	3.8-6.5
PDW		12.0-17.5	12.0-17.5
PCT	%	0.175-0.810	0.210-0.590
P-LCC	10 ³ /μL	53-310	75-600
P-LCR	%	10.1-45.6	12.6-41.6
IPF	%	0.5-9.1	0.3-9.2
RET#	10 ³ /μL	32.5-335.7	1.5-15.9
RET%	%	0.61-3.62	0.02-0.29
IRF	%	0-48.2	0-13.0
LFR	%	50.8-100	85.0-100
MFR	%	0-33.6	0-11.0
HFR	%	0-16.5	0-3.0
RHE	pg	15.3-22.2	19.5-28.2